




**Commercial  
Laundry Catalogue**

February 2023 Issue 2





in association with



## Contents

<b>About ASKO</b>	<b>4</b>	<b>Tumble Dryers</b>	<b>26</b>
<b>History</b>	<b>5</b>	<b>Features</b>	<b>28</b>
<b>Industries</b>	<b>6</b>	TDC1773V.T Vented Tumble Dryer	30
<b>Washing Machines</b>	<b>10</b>	TDC1772C.T Condenser Tumble Dryer	31
<b>Features</b>	<b>12</b>	TDC1773VC.S Vented Tumble Dryer	32
<b>Specifications</b>	<b>12</b>	TDC1772CC.S Condenser Tumble Dryer	33
WMC6742 Washing Machine	16	TDC1485VI.S Vented Tumble Dryer	34
WMC6763 Washing Machine	17	<b>Programmes</b>	<b>36</b>
WMC8943 Washing Machine	18	<b>Energy Consumption</b>	<b>37</b>
WMC8947 Washing Machine	19	<b>Technology and Payment</b>	<b>39</b>
<b>Programme Features</b>	<b>20</b>	<b>Technical Specifications</b>	<b>40</b>
<b>Programme Descriptions</b>	<b>22</b>	<b>ASKO Approvals</b>	<b>43</b>
<b>Washing Machine Water and Energy Consumption</b>	<b>24</b>		
<b>Accessories</b>	<b>25</b>		



## About ASKO

ASKO professional is synonymous worldwide with high quality, innovative and durable products specifically developed for the high demands of the professional market.

Committed to environmental protection, ASKO continuously strives to find the most environmentally friendly solutions and economical use of resources. Our machines are water and energy efficient and are built to last longer.

Our products are manufactured to an extremely high standard and we are driven by a passion to create products that are destined to become a much loved part of your business.



# History

The ASKO story started back in 1950 in Vara, Sweden, with an innovative young man's dream to build a washing machine for his mother to make her life easier.

Today, more than 70 years later, ASKO is a Swedish brand that is inspired by all the typical Scandinavian values such as functionality, minimalistic design, high quality products and environmental responsibility.



## Industries

ASKO appliances cater to both small and large businesses across all industries. Our washers and tumble dryers are built on the basis of quality, durability, and efficiency. ASKO machines will enable your business to run in a smooth, economical, and eco-friendly manner. All our machines are tested rigorously over 30,000 loads.

## Hotels

It's crucial to create a calm and relaxing atmosphere for your guests, so it's important that your on-premises laundry needs to be up to the task of providing fluffy towels, clean sheets and crisp napkins, all without racking up large utility bills. By doing laundry in-house rather than sending it away you'll save both time and money and gain more control of the laundry process.

## Hairdressers

Domestic washing machines fail to keep up with the requirements for a busy hairdressers, they are too slow and drains become clogged with hair.

ASKO professional washing machines are up to twice as fast as domestic machines and have large holes in the drum to efficiently flush hair and particles away.



## Food Processing

Our washing machines have disinfection programmes ideal for fabrics used in food processing. Giving you the disinfection levels required to thoroughly clean uniforms and protective clothing.



## Hospitality

ASKO Professional washing machines deliver the perfect combination of superior performance, high endurance, and sleek Scandinavian design. Powerful and easy to operate, these professional washing appliances are geared for restaurants with an array of flexible programmes tailored to the hospitality sector. Including user-friendly features, they provide unique solutions to meet your specific business needs.





## **Medical and Veterinary Practices**

ASKO appliances are tailored to the health care industry, ensuring optimal hygiene levels even when large loads are in question. ASKO machines are eco-friendly and abide by explicit EU rules and regulations so that all necessary safety and hygiene crosschecks are done by us so that you don't have to. ASKO professional appliances are highly reliable and equipped with adjustable programmes such as the disinfection programme, that will ensure the most effective and sterile results.



## **Cleaning Companies**

Demands for hygiene and thorough cleaning are constantly increasing. Efficient floor cleaning calls for proper washing of the cleaning equipment. It is important that equipment mirrors current hygiene demands. With ASKO Professional washers you have dedicated programmes for cleaning mops and microfibre cleaning cloths.




## **Schools and Nurseries**

Our professional machines are robust, durable products that are extremely easy to use and understand. They run at high temperatures fulfilling all necessary hygiene and antibacterial demands and have several quick programmes.



## **Retirement and Care Homes**

When it comes to equipment for laundry procedures in care homes, we excel at providing solutions that can be adapted to your specific needs. We understand that your requirements are often directly related to regulatory standards. This is why we ensure our products and services are designed to meet your needs.





## Campsites and Holiday Parks

Installing an onsite laundry gives you an additional income stream and means your guests can extend their stay. Access to an on-site washing machine means guests no longer have to leave your site early with a load of wet and muddy washing.



## Salons/Spas/ Fitness Centres

With special programmes for washing towels our machines are suitable for use in beauty salons, spas, fitness studios, swimming pools and saunas.



## Facility Management

Our professional machines are robust, durable products that are extremely easy to use and understand. They can run at high temperatures fulfilling all necessary hygiene and antibacterial demands.



Our machines fit perfectly in industries such as:

- AMUSEMENT PARKS
- CAMPSITES AND HOLIDAY PARKS
- CLEANING COMPANIES
- FACILITY MANAGEMENT
- FOOD PROCESSING
- HAIRDRESSERS
- HOSPITALITY
- HOTELS
- MARINAS
- MEDICAL AND VETERINARY PRACTICES
- RETIREMENT AND CARE HOMES
- SALONS/SPAS/FITNESS CENTRES
- SCHOOLS AND NURSERIES
- SPORT CLUBS
- STUDENT ACCOMMODATION







## **Student Accommodation**

Whether you require washing machines for a fully occupied halls of residence or a robust machine that will satisfy the needs of a shared house ASKO are perfect for fulfilling young people's needs.




## **Amusement Parks**

ASKO's robust commercial machines with short programme times, simple operation and the option to connect to payment systems, make them ideal for guests and staff alike.



## **Marinas**

Give your guests the ability to clean and dry their washing, whilst adding an additional revenue stream to your business.



## **Sport Clubs**

Having to clean multiple sets of heavily worn kit ready for training the next day requires robust, efficient machines you can rely on every day. ASKO's range of specialised programmes ensure colours and logos stay fresh and bright.

## Washing Machines

ASKO is the perfect choice when you want durable appliances with a minimal environmental footprint without compromising on results. Our stylish designs mean our products can be installed and integrated in social areas such as beauty salons and cafés, and they are robust enough to fit in harsh, industrial working conditions. At ASKO, usability and design always go hand in hand, ensuring you get a reliable and flexible new co-worker.



ASKO appliances make repetitive tasks simple. The unmatched performance of our washing machines and the gentle drying methods of our tumble dryers fit in a variety of situations, from day care, hotels and restaurants, dentists and health clinics, to heavy-duty offshore environments.



# Features

## Handling made easy

The EasyControl™ TFT display makes handling and programming your ASKO professional washer easy and intuitive. With a left-to-right interaction, the user is guided through set-up and programming of the washer in one of 25 supported languages, which makes it easy to use ASKO Professional washing machines all over the world.

- Logic interaction from left to right.
- Possible to select program display with text or icons.
- Possible to easily set a temporary language.
- TFT full colour display.
- Robust with high quality tact buttons.
- Easy to use, just select a program and then press start, since there are no option buttons.

- Fast and precise in response.
- Premium fit & finish.




## Steel Seal™ and Professional Door



Our doors are made without rubber bellows, allowing us to create a shallow bowl shape, which means the door takes up less space and makes the machine easy to load and unload.

Removing rubber bellows which degrade and trap dirt and grime, ensures a more hygienic wash. All our professional washers have this long-lasting door solution. We call it Steel Seal™.

- 1 Single pivot hinge. Door opens 180°.
- 2 Double insulated glass prevents outer surface temperatures exceeding 60°C.
- 3 Heavy duty handle designed to be opened many times a day (fastened with two large bolts withstanding 8000 kg pressure).
- 4 Oil and acid resistant rubber sealing.



## Active Drum™

### Dirt Removal


The unique drum shape and hole pattern in our washing machines provides deep cleaning and gentleness at the same time. We call it Active Drum™.

### Tough On Dirt and Gentle On Fabrics





Hourglass-shaped removable lifters guide the washing to the gentler central area of the drum. Debris, such as dirt and gravel, is pushed to the larger holes at the edge of the drum. This is ideal when washing mops, for instance, which often contain a lot of sand and/or smaller stones.

- 1 The hourglass-shaped lifter guides the washing to the gentler central area of the drum. The holes here have a diameter of 2.2mm. This also balances the load better in the drum reducing wear and tear on drive belt and motor; saving service costs and prolonging lifetime of the entire machine.
- 2 Debris is removed via the larger holes (3.7mm) at the edges of the drum and lifter.
- 3 All lifters are removable for easy cleaning dirt such as mop or cloth residue.




## Quattro Construction™



The outer drum rests on four strong shock absorbers firmly attached to the steel bottom plate. The entire construction is located inside the machine and spinning at high spin speed can be done virtually free of vibrations. The Quattro Construction™ system is extremely durable and prolongs lifetime of the entire machine.

- 1 Stainless steel outer drum
- 2 Cast iron counterweights
- 3 Stainless steel inner drum
- 4 Four shock absorbers
- 5 Steel base

## Spin without vibrations



The ASKO balance control senses when the laundry is evenly or unevenly distributed inside the drum.

An even distribution will restrain the noise and mechanical stress level when the machine is spinning.

Extends life span.

- 1-3 attempts on max spin speed
- 4-7 attempts on first reduced spin speed
- 8-10 attempts on last reduced spin speed
- After 10 attempts unbalance error is shown


## External Dosing System



Many of our washing machines are prepared for connection to an External Dosing System and the machine can control up to six different chemicals and automatically adjusts the amount according to the weight of the load, which will prevent overdose and will save the environment and also save money.

You can also easily connect standard peristaltic pumps for dosing detergent and make a simple programming in the service menu to set the time the pump should be active.

## Finish



### Stainless Steel

- Strength - long-term strength
- Cleanliness - prevents bacteria and pathogen growth
- Corrosion resistance - against corrosion, rust, water stains
- Recyclability - steel is 100% recyclable

### Titanium Coloured Steel

- Quality - steel provides long-term strength
- Design - softer appearance than steel
- Recyclability - steel is 100% recyclable

## Usage Over Lifetime


ASKO washing machines are tested over 30,000 cycles. This is equivalent to the lifetime of four semi-professional washing

machines or 12 domestic washing machines. This keeps lifetime costs and environmental impact to a minimum.




One ASKO Washing Machine

=



Semi-Professional Washing Machines

=



Domestic Washing Machines

## WiFi & Connectivity

### Administration tool


With our administration web tool, you can access machine status, current states, appliance usage (by year, month or week), access usage statistics, see location data, total cycle counts and much more. It is truly a future-proof tool that opens up for future advancements including Artificial Intelligence functions, data analysis etc.

Features include:

- Simplified service informing when and why a machine needs to be checked.
- Group your machines into rooms, to get an even better overview.
- Follow statistics about usage, and more.
- Accessible on a computer, or on your handheld device for responsiveness on-the-go.
- Update your sets of programmes.
- You can create special programmes remotely.



 **ConnectLife**





# WiFi & Connectivity

## End user app

ASKO's user app, called ConnectLife Laundry is designed to be user-friendly and intuitive. Your users will be up and running in no time. The application can be downloaded to their smartphone or tablet and the user can then access the laundry room from any location.

Some of the benefits:

- List of appliances.
- Book a laundry room.
- Add new appliances.
- Monitor machines.
- Machine booking and cancellation.




# Models


## WMC6742 Washing Machine




Kg Load



Titanium Effect



Steel Seal™



Active Drum™



G-Factor

**Height:** 850mm **Width:** 595mm **Depth:** 591mm

### Quick Overview

- Load capacity: 7kg; Drum size: 60L
- Maximum spin speed: 1400 rpm
- 26 programmes
- Connection: 230V / 1ph / 13A / 50Hz / 2.2kW
- Electrical reconfiguration: No
- Pump and valve drain system machines available
- Prepared for Auto Dosing: No
- WiFi for ConnectLife: No
- Prepared for payment systems (coin, card and AIRwallet): No

### Recommended Tumble Dryers



TDC1773V.T page 30



TDC1772C.T page 31




# WMC6763 Washing Machine




Kg Load



Stainless Steel



Steel Seal™



Active Drum™



G-Factor



WiFi for ConnectLife



Prepared connection to external auto dosing units



Prepared connection to external payment systems

**Height:** 850mm **Width:** 595mm **Depth:** 591mm

## Quick Overview

- Load capacity: 7kg; Drum size: 60L
- Maximum spin speed: 1600 rpm
- 26 programmes
- Connection: 230V / 1ph / 16A / 50Hz / 3.2kW
- Electrical reconfiguration: Yes, 400V / 3ph / 10A / 3.2kW or 230V / 1ph / 10A / 2.2kW
- Pump and valve drain system machines available
- Prepared for Auto Dosing: Yes
- WiFi for ConnectLife: Yes
- Prepared for payment systems (coin, card and AIRwallet): Yes

### Recommended Tumble Dryer



**TDC1773VC.S** page 32




**TDC1772CC.S** page 33


## WMC8943 Washing Machine




Kg Load



Stainless Steel



Steel Seal™



Active Drum™



G-Factor



WiFi for ConnectLife



Prepared connection to external auto dosing units



Prepared connection to external payment systems

**Height:** 850mm **Width:** 595mm **Depth:** 706mm

### Quick Overview

- Load capacity: 9kg; Drum size: 80L
- Maximum spin speed: 1400 rpm
- 26 programmes
- Connection: 230V / 1ph / 16A / 50Hz / 3.2kW
- Electrical reconfiguration: Yes, 400V / 3ph / 10A / 3.2kW
- Pump and valve drain system machines available
- Prepared for Auto Dosing: Yes
- WiFi for ConnectLife: Yes
- Prepared for payment systems (coin, card and AIRwallet): Yes

### Recommended Tumble Dryer



**TDC1485VI.S** page 34


## WMC8947 Washing Machine




Kg Load



Stainless Steel



Steel Seal™



Active Drum™



G-Factor



WiFi for ConnectLife



Prepared connection to external auto dosing units



Prepared connection to external payment systems

**Height:** 850mm **Width:** 595mm **Depth:** 706mm

### Quick Overview

- Load capacity: 9kg; Drum size: 80L
- Maximum spin speed: 1400 rpm
- 26 programmes
- Connection: 400V / 3ph / 16A / 50Hz / 7.2kW
- Electrical reconfiguration: No
- Pump and valve drain system machines available
- Prepared for Auto Dosing: Yes
- WiFi for ConnectLife: Yes
- Prepared for payment systems (coin, card and AIRwallet): Yes

### Recommended Tumble Dryer



**TDC1485VI.S** page 34

# Programme Features

Our washing machines are designed to be as easy to use as possible - just select a programme and press start. The machine always remembers the last used function - just press Start to operate.

The TFT display informs you of the programme, temperature, spin speed and remaining time.

Our machines can communicate in 25 languages.

## Programme Flexibility

ASKO washing machines have a variety of customisable programmes, some of which are fully configurable. Programmes can be revealed or hidden to suit your particular working environment.

You can tailor washing programmes to your unique requirements by customising the settings, e.g. pre-wash, wash time, temperature, number of rinses, spin speed etc.



## Disinfection Programme



ASKO washing machines come with specialised disinfection programmes which fulfil the strict standards of public health authorities. This is achieved by a high power output and a system that ensures the chosen temperature is reached and maintained in order to guarantee disinfection. Our disinfection programmes have an efficient pre-wash which ensures that all proteins found in the laundry are dissolved and removed before the temperature is raised in the main wash.

The 90°C programmes require no additional disinfectant.

## Microfibre Programme

A unique programme specially developed for microfibre fabrics such as microfibre cloths. The programme has three rinses with a high water level in the first rinse for an optimal wash performance.

Preset microfibre programmes are the following:

- Microfibre 60°C
- Microfibre 40°C



## Mop Programme

---

Our specially developed mop programmes take the best possible care of cleaning mops. They have an efficient cold pre-wash to remove larger dirt and gravel before the main wash.

When combined with our unique Active Drum™ this gives an optimal cleaning performance. The hourglass shaped lifters guide debris such as gravel to the bigger evacuation holes in the lifter edges which effectively remove dirt from the machine. With two rinses using a high water level this programme cleans mops in the best possible way. Adjusting programme time and spin speed determines how much residual moisture is left in the mop.

Preset mop programmes:

### Mop 60°C

- Cold wash
- Main wash 90°C
- High water level
- Rinse
- Spin cycle
- Rinse
- Final spin

### Mop 40°C

- Cold wash
- Main wash 60°C
- High water level
- Rinse
- Spin cycle
- Rinse
- Final spin

## Asthma and Allergy

---

Our washers are recommended by both the Swedish and Norwegian Asthma and Allergy Associations and meet their stringent criteria for allergy approval. Our asthma and allergy approved washers have five unique programmes.



## Programme Descriptions

Programme		Temperature	Description (Follow garment washing instructions)	Prewash included	Number of rinses	Maximum spin speed (RPM)*
1	<b>ECO 40-60</b>	<b>40 - 60°C</b>	Washing cycle, which is able to clean normally soiled cotton laundry declared to be washable at 40°C or 60°C.		<b>2</b>	<b>1600</b>
2	<b>Heavy</b>	<b>60°C</b>	Heavily soiled laundry, with dirt that needs to be fully dissolved before the main wash. A prewash is used to do this.	<b>Yes</b>	<b>3</b>	<b>1400</b>
3	<b>Heavy</b>	<b>90°C</b>	Heavily soiled laundry, with dirt that needs to be fully dissolved before the main wash. A prewash is used to do this.	<b>Yes</b>	<b>3</b>	<b>1400</b>
4	<b>White/Colour</b>	<b>20°C</b>	Normally soiled laundry - whites and colours.		<b>2</b>	<b>1400</b>
5	<b>White/Colour</b>	<b>40°C</b>	Normally soiled laundry - whites and colours.		<b>2</b>	<b>1400</b>
6	<b>White/Colour</b>	<b>60°C</b>	Normally soiled laundry - whites and colours.		<b>2</b>	<b>1400</b>
7	<b>White</b>	<b>90°C</b>	Normally to heavily soiled laundry. 90°C is a good temperature for white and light-coloured cotton, such as bed linen.		<b>3</b>	<b>1400</b>
8	<b>Super Quick wash</b>	<b>40°C</b>	Fast programme for lightly soiled laundry.		<b>2</b>	<b>800</b>
9	<b>Super Quick wash</b>	<b>60°C</b>	Fast programme for lightly soiled laundry.		<b>2</b>	<b>800</b>
10	<b>Synthetics</b>	<b>40°C</b>	Synthetics, delicate blended materials and permanent press cotton. Suitable for shirts and blouses.		<b>2</b>	<b>1200</b>
11	<b>Wool/Hand wash</b>	<b>30°C</b>	Gentle programme for wool, silk and garments that should be washed by hand. This programme has a short spin.		<b>2</b>	<b>800</b>
12	<b>Rinse</b>		One cold rinse and a short spin cycle. Suitable for laundry that just needs to be rinsed.		<b>1</b>	<b>1400</b>
13	<b>Drain</b>		Use this programme when you only want to drain the water from the machine.			

\* Maximum spin speed varies with individual machines

Programme		Temperature	Description (Follow garment washing instructions)	Prewash included	Number of rinses	Maximum spin speed (RPM)*
14	<b>Mop</b>	<b>60°C</b>	A programme specially developed for cleaning mops.	<b>Yes</b>	<b>3</b>	<b>1400</b>
15	<b>Mop</b>	<b>90°C</b>	A programme specially developed for cleaning mops.	<b>Yes</b>	<b>3</b>	<b>1400</b>
16	<b>Microfibre</b>	<b>40°C</b>	A programme specially developed for cleaning microfibre fabrics.		<b>2</b>	<b>1400</b>
17	<b>Microfibre</b>	<b>60°C</b>	A programme specially developed for cleaning microfibre fabrics.		<b>2</b>	<b>1400</b>
18	<b>Disinfection</b>	<b>40°C</b>	The temperature reached during the main wash is maintained for 20 minutes. Disinfection at this temperature requires special detergent.	<b>Yes</b>	<b>3</b>	<b>1400</b>
19	<b>Disinfection</b>	<b>60°C</b>	The temperature reached during the main wash is maintained for 60 minutes. Disinfection at this temperature requires special detergent.	<b>Yes</b>	<b>3</b>	<b>1400</b>
20	<b>Disinfection</b>	<b>90°C</b>	The temperature reached during the main wash is maintained for 10 minutes. This temperature is sufficient for disinfection without special detergent.	<b>Yes</b>	<b>3</b>	<b>1400</b>
21	<b>Allergy cotton</b>	<b>60°C</b>	Washes normal to heavily soiled clothes that require special care, such as clothes for people with highly sensitive skin or skin allergies.		<b>4</b>	<b>1400</b>
22	<b>Allergy cotton</b>	<b>90°C</b>	Washes normal to heavily soiled clothes that require special care, such as clothes for people with highly sensitive skin or skin allergies.		<b>4</b>	<b>1400</b>
23	<b>Allergy synthetics</b>	<b>40°C</b>	Used to wash normal to heavily soiled clothes that require special care, such as clothes for people with highly sensitive skin or skin allergies.		<b>3</b>	<b>1200</b>
24	<b>Allergy synthetics</b>	<b>60°C</b>	Synthetic materials and delicate garments and fabrics - white and colours. Excellent for freshening up lightly soiled cotton garments.		<b>3</b>	<b>1200</b>
25	<b>Drum cleaning</b>		A programme that cleans the machine itself. Drum and detergent compartment need to be empty.		<b>3</b>	
26	<b>Programme A-J</b>		Programme slots that can be programmed for your needs.			

All washing machines and tumble dryers have the option to hide programmes from the programme selector on the TFT interface.

# Washing Machine Water and Energy Consumption



**WMC6742P.T**  
**WMC6742V.T**



**WMC6763PC.S**  
**WMC6763VC.S**



**WMC8943VC.S**  
**WMC8943PC.S**



**WMC8947PI.S**  
**WMC8947VI.S**

Programme	WMC6742P.T / WMC6742V.T			WMC6763PC.S / WMC6763VC.S			WMC8943VC.S / WMC8943PC.S			WMC8947PI.S / WMC8947VI.S		
	Water usage (litres)	Energy usage (kWh)	Time HH:MM	Water usage (litres)	Energy usage (kWh)	Time HH:MM	Water usage (litres)	Energy usage (kWh)	Time HH:MM	Water usage (litres)	Energy usage (kWh)	Time HH:MM
<b>ECO 40-60</b>	46	1.00	02:55	46	0.90	02:55	-	-	-	-	-	-
<b>Heavy wash 60°C</b>	71	1.50	01:59	71	1.30	01:40	85	1.50	02:00	85	1.30	01:45
<b>Heavy wash 90°C</b>	71	2.50	02:40	71	2.30	02:10	85	2.50	02:34	88	2.30	01:54
<b>White/Colour 20°C</b>	50	0.15	00:40	50	0.14	00:40	63	0.16	00:40	63	0.14	00:40
<b>White/Colour 40°C</b>	50	0.50	00:49	50	0.46	00:49	63	0.48	00:49	63	0.42	00:49
<b>White/Colour 60°C</b>	50	1.42	00:59	50	1.30	00:59	63	1.70	00:59	63	1.40	00:59
<b>White/Colour 90°C</b>	31	0.72	00:59	31	0.72	00:59	35	0.44	00:59	35	0.78	00:59
<b>White 90°C</b>	58	2.50	01:52	58	2.30	01:28	71	2.90	01:43	71	2.70	01:03
<b>Super quick wash 40°C</b>	40	0.33	00:35	40	0.30	00:35	40	0.48	00:35	40	0.42	00:35
<b>Super quick wash 60°C</b>	48	0.73	00:40	48	0.70	00:40	48	1.40	00:40	48	1.10	00:40
<b>Synthetic 40°C</b>	40	0.22	00:40	40	0.19	00:40	48	0.23	00:40	48	0.17	00:37
<b>Wool/Hand 30°C</b>	35	0.05	00:35	35	0.05	00:35	40	0.09	00:35	40	0.07	00:34
<b>Rinse</b>	14	0.07	00:22	14	0.07	00:22	15	0.07	00:22	15	0.07	00:22
<b>Spinning</b>	-	0.06	00:17	-	0.06	00:17	-	0.06	00:17	-	0.06	00:17
<b>Drain</b>	-	0.01	00:01	-	0.01	00:01	-	0.00	00:01	-	0.00	00:01
<b>Mop 60°C</b>	76	1.30	01:49	76	1.20	01:30	90	1.60	01:52	90	1.40	01:37
<b>Mop 90°C</b>	76	2.40	02:30	76	2.20	02:00	90	2.60	02:28	90	2.40	01:48
<b>Microfibre 40°C</b>	54	0.28	00:55	54	0.26	00:55	66	0.43	00:59	66	0.37	00:56
<b>Microfibre 60°C</b>	62	1.10	01:34	62	0.90	01:15	74	0.90	01:19	74	0.70	01:12
<b>Disinfection 40°C</b>	68	0.90	01:40	68	0.80	01:35	82	1.00	01:51	82	0.90	01:48
<b>Disinfection 60°C</b>	76	1.60	02:45	76	1.50	02:25	90	2.00	02:52	90	1.80	02:37
<b>Disinfection 90°C</b>	76	2.90	02:40	76	2.70	02:20	90	3.40	03:02	90	3.20	02:24
<b>Allergy Cotton 60°C</b>	86	1.30	02:49	86	1.20	02:30	104	1.50	02:50	104	1.30	02:35
<b>Allergy Cotton 90°C</b>	86	3.00	03:30	86	2.80	03:00	104	3.00	03:24	104	2.80	02:47
<b>Allergy Synthetic 40°C</b>	55	0.38	01:40	55	0.35	01:40	68	0.46	01:40	68	0.40	01:37
<b>Allergy Synthetic 60°C</b>	63	0.87	02:05	63	0.80	01:55	76	1.03	01:55	76	0.97	01:50
<b>Drum Cleaning</b>	72	1.25	01:20	72	1.10	01:10	85	1.33	01:18	85	1.27	01:03

All values calculated with hot and cold water inlet. Water connections: Cold = 15°C, Hot = 55°C



## Accessories



### Laundry trolley

Stainless steel with black wire netting.




### Lint box

Fits washing machines with valve. Can contain 38 litre. Stainless steel.



### Plinth

Fits washing machines and tumble dryers. Available in two sizes: 7 kg or 9 kg load. Stainless steel.



### Marine Stacking Kit

For all washers / dryers Stainless steel.

Please contact us for information on washing machines and dryers suitable for marine environments.

## Tumble Dryers

All our professional tumble dryers have a robust easy to use TFT display with a jog dial for programme selection and a start/stop button. The display clearly shows the chosen programme and remaining time and the programme memory automatically



remembers the last run programme including any settings, which means that for the next load all you need to do is to press start. As one of the quietest professional tumble dryers on the market it will also fit into any environment.



# Features



## Drying Methods

---



### Non-Stop Butterfly Drying™

Rather than the usual “reversing” drying process, which means the dryer constantly changes direction, our dryers tumble the laundry in a figure of eight. Gently, non-stop and in only one direction, without the clothes bundling. This saves wear on both the belt and the motor, providing greater durability.




### Sensi Dry™ - No More Overdrying

Once a drying programme is selected our unique Sensi Dry™ system determines the length of drying time required. Temperature sensors make the drying result more even and more reliable than a conventional sensor (which gauges electrical resistance). The programme automatically stops when the clothes are dry.

## Brushless Motor

---

Robust brushless induction motor with one-way operation leads to longer lifetime, lower noise and faster drying.



## Drying Systems



### Vented

Vented tumble dryers remove moisture through a vent that can be fitted to an external wall or a hose.

Vented dryers are more economical to run than condenser dryers as they are not using energy to convert hot air to water.

### Condenser

Condenser tumble dryers remove moisture by moving hot air to a chamber where it is condensed into water and stored.

Condenser dryers can be plugged in and used straight away as they do not have an external vent. Condensing the water requires more energy than a vented dryer, thereby increasing running costs.

The condenser tumble dryers have an easy to remove condenser.

- The condenser dryer is easy to clean by rinsing with water
- The display indicates when the filter requires cleaning - defaults to every 10 cycles
- Possible to adjust to 10, 20, 30 or 100

## Water Container

- Can contain six litres of water
- Easy to empty
- Possible to connect to auto drain (drain hose is included)
- The display indicates when the tank needs to be emptied



## Door Concept



- Door with double lint filter
- Hinged with a sturdy metal door hinge.
- 180° door opening angle for easy loading and unloading
- Door default right hinged but possible to re-hang to left hinged
- Durable metal locking hook

## Easy cleaning door filter


Effective lint trap that prevents lint and dust reaching the more sensitive and hard to clean condenser and fan.

- Easy to clean, just wipe off with the hand.
- Easy opening of the Door Filter.
- Bayonette and screw fixation of filter frame.
- Cleaning the lint filter is indicated on the display as a reminder.




# Models

## TDC1773V.T Vented Tumble Dryer



Kg Load



Titanium Effect



Butterfly Drying™



Sensi Dry™



mins  
Normal Dry

**Height:** 850mm **Width:** 595mm **Depth:** 654mm

### Quick Overview

- Load capacity: 7kg; Drum size: 117L
- Finish: Titanium effect
- 17 auto programmes
- Sensor-controlled auto programmes stop drying when clothes are dry
- TFT display and interface on local language (25 languages)
- Connection: 230V / 1ph / 16A / 50Hz / 3.3kW
- Electrical reconfiguration: Yes, 230V / 1ph / 10A / 2.25kW
- Vented dryer
- WiFi for ConnectLife: No
- Prepared for payment systems (coin, card and AIRwallet): No

### Recommended Washing Machine



WMC6742 page 16

## TDC1772C.T Condenser Tumble Dryer



**7**  
Kg Load

  
Titanium  
Effect

  
Butterfly  
Drying™

  
Sensi Dry™

**115**  
mins  
Normal Dry

**Height:** 850mm **Width:** 595mm **Depth:** 654mm

### Quick Overview


- Load capacity: 7kg; Drum size: 117L
- Finish: Titanium effect
- 17 auto programmes
- Sensor-controlled auto programmes stop drying when clothes are dry
- TFT display and interface on local language (25 languages)
- Connection: 230V / 1ph / 13A / 50Hz / 2.8kW
- Electrical reconfiguration: Yes, 230V / 1ph / 10A / 2.25kW
- Condenser dryer
- WiFi for ConnectLife: No
- Prepared for payment systems (coin, card and AIRwallet): No

### Recommended Washing Machine



**WMC6742** page 16

## TDC1773VC.S Vented Tumble Dryer




Kg Load



Stainless Steel



Butterfly Drying™



Sensi Dry™



WiFi for ConnectLife



Prepared connection to external payment systems



mins Normal Dry

**Height:** 850mm **Width:** 595mm **Depth:** 654mm

### Quick Overview

- Load capacity: 7kg; Drum size: 117L
- Finish: Touch Proof™ Stainless steel
- 17 auto programmes
- Sensor-controlled auto programmes stop drying when clothes are dry
- TFT display and interface on local language (25 languages)
- Connection: 230V / 1ph / 16A / 50Hz / 3.3kW
- Electrical reconfiguration: Yes, 230V / 1ph / 10A / 2.25kW
- Vented dryer
- WiFi for ConnectLife: Yes
- Prepared for payment systems (coin / card and AIRwallet): Yes

### Recommended Washing Machine




**WMC6763** page 17



## TDC1772CC.S Condenser Tumble Dryer



Kg Load



Stainless Steel



Butterfly Drying™



Sensi Dry™



WiFi for ConnectLife



Prepared connection to external payment systems



mins Normal Dry

**Height:** 850mm **Width:** 595mm **Depth:** 654mm

### Quick Overview

- Load capacity: 7kg; Drum size: 117L
- Finish: Touch Proof™ Stainless steel
- 17 auto programmes
- Sensor-controlled auto programmes stop drying when clothes are dry
- TFT display and interface on local language (25 languages)
- Connection: 230V / 1ph / 13A / 50Hz / 2.8kW
- Electrical reconfiguration: Yes, 230V / 1ph / 10A / 2.25kW
- Condenser dryer
- WiFi for ConnectLife: Yes
- Prepared for payment systems (coin / card and AIRwallet): Yes

### Recommended Washing Machine




**WMC6763** page 17

## TDC1485VI.S Vented Tumble Dryer




Kg Load



Stainless Steel



Butterfly Drying™



Sensi Dry™



WiFi for ConnectLife



Prepared connection to external payment systems



mins Normal Dry

**Height:** 850mm **Width:** 595mm **Depth:** 769mm

### Quick Overview

- Load capacity: 8kg; Drum size: 145L
- 17 auto programmes
- Sensor-controlled auto programmes stop drying when clothes are dry
- TFT display and interface on local language (25 languages)
- Connection: 400V / 3ph / 16A / 50Hz / 5.3kW
- Electrical reconfiguration: Yes, 230V / 1ph / 16A / 3.3kW
- Vented dryer
- WiFi for ConnectLife: Yes
- Prepared for payment systems (coin / card and AIRwallet): Yes

### Recommended Washing Machine



**WMC8943** page 18



ASKO  
PROFESSIONAL

ASKO  
PROFESSIONAL

# Programmes

## Twelve auto programmes

Programme	Description
<b>Auto Extra - Normal temperature</b>	Use this programme for non-sensitive cotton laundry. After drying, it will be completely dry and ready to be stored in the cupboard.
<b>Auto Extra - Low temperature</b>	Use this programme for cotton laundry. After drying, it will be completely dry and ready to be stored in the cupboard.
<b>Auto Dry - Normal temperature</b>	Use this programme for non-sensitive cotton laundry. After drying, it will be completely dry and ready to be stored in the cupboard.
<b>Auto Dry - Low temperature</b>	Use this programme for cotton laundry. After drying, it will be completely dry and ready to be stored in the cupboard.
<b>Auto Normal - Normal temperature</b>	Use this programme for non-sensitive cotton laundry of approximately the same thickness. After drying, it will be dry.
<b>Auto Normal - Low temperature</b>	Use this programme for cotton laundry of approximately the same thickness. After drying, it will be dry.
<b>Auto Hand Iron - Normal temperature</b>	Use this programme for cotton laundry. After drying, hand ironing is required.
<b>Auto Hand Iron - Low temperature</b>	Use this programme for sensitive cotton laundry. After drying, hand ironing is required.
<b>Auto Machine Iron - Normal temperature</b>	Use this programme for cotton laundry. After drying, machine ironing is required.
<b>Auto Machine Iron - Low temperature</b>	Use this programme for sensitive cotton laundry. After drying, machine ironing is required.
<b>Mix Dry</b>	This programme is used for synthetic or mixed fibre fabrics, such as multi-functional sport clothes. After drying, ironing is not required.
<b>Mix Iron</b>	This programme is used for synthetic or mixed fibre fabrics. After drying, ironing is required.

All washing machines and tumble dryers have the option to hide programmes from the programme selector on the TFT interface.

## Energy Consumption

### TDC1773V.T and TDC1773VC.S

Programme	Amount	Spin speed (RPM)*	Energy consumption (kWh)	Programme time (minutes)
<b>Auto Extra - Normal temperature</b>	Full load	1400	4.25	95
<b>Auto Extra - Low temperature</b>	Full load	1400	4.3	140
<b>Auto Dry - Normal temperature</b>	Full load	1400	3.7	80
<b>Auto Dry - Low temperature</b>	Full load	1400	3.8	113
<b>Auto Normal - Normal temperature</b>	Full load	1400	3.35	70
	Full load	1000	4	80
<b>Auto Normal - Low temperature</b>	Full load	1400	3.45	103
<b>Auto Hand Iron - Normal temperature</b>	Full load	1400	3.1	66
<b>Auto Hand Iron - Low temperature</b>	Full load	1400	3.1	90
<b>Auto Machine Iron - Normal temperature</b>	Full load	1400	2.4	53
	Full load	1000	3.05	65
<b>Auto Machine Iron - Low temperature</b>	Full load	1400	2.35	72
<b>Mix Dry</b>	Partial load	1200	1.7	40
<b>Mix Iron</b>	Partial load	1000	1.35	30

# Energy Consumption

## TDC1772C.T and TDC1772CC.S

Programme	Amount	Spin speed (RPM)*	Energy consumption (kWh)	Programme time (minutes)
Auto Extra - Normal temperature	Full load	1400	4.6	155
Auto Extra - Low temperature	Full load	1400	5.5	250
Auto Dry - Normal temperature	Full load	1400	3.95	130
Auto Dry - Low temperature	Full load	1400	4.2	175
Auto Normal - Normal temperature	Full load	1400	3.65	115
	Full load	1000	4.14	135
Auto Normal - Low temperature	Full load	1400	3.9	190
Auto Hand Iron - Normal temperature	Full load	1400	3.3	105
Auto Hand Iron - Low temperature	Full load	1400	3.5	140
Auto Machine Iron - Normal temperature	Full load	1400	2.74	95
	Full load	1000	3.3	110
Auto Machine Iron - Low temperature	Full load	1400	2.82	120
Mix Dry	Partial load	1200	1.9	75
Mix Iron	Partial load	1000	1.5	55

## TDC1485VI.S

Programme	Amount	Spin speed (RPM)*	Energy consumption (kWh)	Programme time (minutes)
Auto Extra - Normal temperature	Full load	1400	4.75	80
Auto Extra - Low temperature	Full load	1400	4.75	133
Auto Dry - Normal temperature	Full load	1400	4.14	70
Auto Dry - Low temperature	Full load	1400	4.15	110
Auto Normal - Normal temperature	Full load	1400	3.80	56
	Full load	1000	4.62	68
Auto Normal - Low temperature	Full load	1400	3.75	90
Auto Hand Iron - Normal temperature	Full load	1400	3.45	53
Auto Hand Iron - Low temperature	Full load	1400	3.45	80
Auto Machine Iron - Normal temperature	Full load	1400	2.72	45
	Full load	1000	3.40	52
Auto Machine Iron - Low temperature	Full load	1400	2.75	67
Mix Dry	Partial load	1200	1.70	30
Mix Iron	Partial load	1000	1.30	20

Spin speed refers to the speed the washing was spun at prior to entering the tumble dryer.



Power

UK English



Connect Life



60°C



Heavy

40°C



WhiteColor

60°C



WSP

90°C



Sterilize



# Technology and Payment

## Administration web tool

Our administration web tool allows access to machine status, current states, appliance usage (by year, month or week), access usage statistics, location data, total cycle counts and much more.



## End user app

ConnectLife Laundry is user-friendly and intuitive. Your users will be up and running in no time. The application can be downloaded to their smartphone or tablet and the user can then access the laundry room from any location.

- Follow statistics about usage, and more.
- Accessible on a computer, or on your handheld device for responsiveness on-the-go.
- Update your sets of program.



## AIRWallet - Payment System

AirWallet PRO (24V og 230V) 2 years warranty, AirWallet payment



## C123-2 OPL Dosing System - Auto Dosing System

OPL dosing system BASIC EVO incl. installation kit (three chemicals)



## BEAS Card - Payment System

C123-1 BeasCard automat f/ one unit 230 V

C123-2 BeasCard automat f/ two units 230 V

C123-3 BeasCard automat f/ three unit 230 V



## BEAS Coin - Payment System

C123-1 BeasCard automat f/ 1 unit 230 V

C123-2 BeasCard automat f/ 2 units 230 V

C123-3 BeasCard automat f/ 3 unit 230 V



## Token for Coin Payment System

For BEAS Payment System "coin", 100 pcs

# Technical Specifications

Washing Machines Technical Specifications									
Product	Drain System	Style	Capacity Kg	Rpm	Total Load (kW)	Heater Element Configuration (kW)	Phasing	Programmes/ Customisable/ Fully customisable	Auto-dose relay card as standard
WMC6742P.T	P	Titanium	7	1400	2.2	2	Single phase only	26+14+10	✗
WMC6742V.T	V	Titanium	7	1400	2.2	2	Single phase only	26+14+10	✗
WMC6763PC.S	P	Stainless Steel	7	1600	3.2	3	Single or 3 phase	26+14+10	✓
WMC6763VC.S	V	Stainless Steel	7	1600	3.2	3	Single or 3 phase	26+14+10	✓
WMC8943PC.S	P	Stainless Steel	9	1400	3.2	3	Single or 3 phase	26+14+10	✓
WMC8943VC.S	V	Stainless Steel	9	1400	3.2	3	Single or 3 phase	26+14+10	✓
WMC8947PI.S	P	Stainless Steel	9	1400	7.2	7	3ph only	26+14+10	✓
WMC8947VI.S	V	Stainless Steel	9	1400	7.2	7	3ph only	26+14+10	✓

P = Pump V = Valve

All washing machines have ECO cold and hot water connection.

Tumble Dryers Technical Specifications								
Product	Drying System	Style	Capacity Kg	Total Load (kW)	Heater Element Configuration (kW)	Phasing	Programmes	Sensi D
TDC1773V.T	V	Titanium	7	3.3	3	Single	17	✓
TDC1772C.T	C	Titanium	7	2.8	2.5	Single	17	✓
TDC1773VC.S	V	Stainless Steel	7	3.3	3	Single	17	✓
TDC1772CC.S	C	Stainless Steel	7	2.8	2.5	Single	17	✓
TDC1485VI.S	V	Stainless Steel	8	5.3	5	Single 3 phase	17	✓

V = Vented C = Condenser

All feet are adjustable on washing machines and tumble dryers.



Active Drum	Quattro Construction	Steel Seal Door	Door Pivot Angle	Reversible Door	Hinged Default	Anti Leak System	Foam Control	Child Lock	Touch Proof™ Stainless Steel
✓	✓	✓	180°	✗	left	✓	✓	✓	✗
✓	✓	✓	180°	✗	left	✓	✓	✓	✗
✓	✓	✓	180°	✗	left	✓	✓	✓	✓
✓	✓	✓	180°	✗	left	✓	✓	✓	✓
✓	✓	✓	180°	✗	left	✓	✓	✓	✓
✓	✓	✓	180°	✗	left	✓	✓	✓	✓
✓	✓	✓	180°	✗	left	✓	✓	✓	✓
✓	✓	✓	180°	✗	left	✓	✓	✓	✓

Butterfly Dry™	Overheat protection	Door Pivot Angle	Reversible Door	Hinged Default	Butterfly Dry™	Child Lock	Touch Proof™ Stainless Steel
	✓	180°	✓	right	✓	✓	✗
	✓	180°	✓	right	✓	✓	✗
	✓	180°	✓	right	✓	✓	✓
	✓	180°	✓	right	✓	✓	✓
	✓	180°	✓	right	✓	✓	✓



## ASKO Approvals

### CE

The CE marking indicates that the product is compliant with health, safety and environmental protection standards within the European Union. All ASKO Professional appliances have the CE marking.

### IPX4

Our professional products are splash proof according to IPX4, meaning they can withstand water splashes from any direction.

### RKI

Robert Koch Institute (The Public Health Institute for Germany) is a German federal government agency and research institute that is responsible for disease control and prevention. ASKO Professional fulfils the RKI's strict standards when it comes to timing and temperature requirements.

### ISO 14001

ASKO's environmental management system is certified to ISO 14001, which defines guide-lines for environmental aspects such as materials, emissions and waste. A comprehensive review of the management system is done every year.

### ISO 9001

ASKO's quality management system is certified to ISO 9001. A strong customer focus and other quality management principles ensure that customers always experience a top-quality standard, in products and services offered by ASKO.

### WRAS Approved Product

The Water Regulations Approval Scheme is an independent UK certification body for plumbing products and materials, helping business and consumers choose compliant products that keep water safe. Approval number 2201031.



**Working together to help reduce our impact on the natural environment**

We plant up to 10 trees for each laundry machine sold depending on the size of the machine

*Welcome to a Cleaner World*

---



**DC Products**

Unit 25 Lodge Hill Industrial Park, Westbury Sub Mendip, Somerset, BA5 1EY

**t:** 01749 870055 **e:** sales@dcproducts.co.uk **w:** www.laundry.dcproducts.co.uk